Canam Wiki 3.0

User Manual

Copyright © 2015 Canam Software Labs, Inc.

Table of Contents

Table of Contents 2
INTRODUCTION 4
INSTALLATION 4
Minimum Requirements 4
Module Installation 4
License Management 4
License Key 4
License Activation 4
License de-activation 4
License Update 4
Steps to update license 5
Installing Canam Wiki (Web Farm) 5
General Considerations 5
MODULE ADMINISTRATION 6
MODULE CONFIGURATION 7
The Configuration Screen 7
Appearance Configuration 7
Content Configuration 7
Messages Configuration 8
Security Configuration 8
Change Moderation Mode 9
New Page Moderation Mode 9
PAGE ADMINISTRATION 10
Wiki Pages 10
Edit 10
Select 10
Permissions (Pro only) 11
Snippets/Templates (Pro only) 13

Copyright © 2015 Canam Software Labs, Inc.

Site Permissions (Pro only) 16
User Roles (Pro only) 17
USING THE WIKI EDITOR 19
WikiMarkup Reference 19
Text Reference 19
Lists 19
Tables 20
File Links & Pictures 22
Displaying Pictures 22
Special Tags 22
Support for Footnotes (References) 23
Page History & Rollback (Pro only) 23
Page Categories (Tags) 25
Comments 25
Page Attachments (Pro only) 26
SEARCH PAGES 27
DNN SITEMAP FOR SEO (Pro only) 27

Copyright © 2015 Canam Software Labs, Inc.

INTRODUCTION

This document intends to be a guide for using the Canam Wiki Pro 3.0 and Canam Wiki Standard 3.0 modules provided by Canam Software Labs, Inc. Features not available in Standard edition are indicated appropriately with the explanation of that feature, throughout the document. More information and samples can be found at http://demo.canamsoftware.com or by contacting wikisupport@canamsoftware.com.

INSTALLATION

Minimum Requirements

In order to install the module, your DNN portal must meet the following requirements

- The DNN portal must be version 7.0.0 or higher.
- The module does not work out-of-the-box for Medium Trust websites. Please contact us if you want to use the module on a Medium Trust website.

Module Installation

Following are the steps required to install your module:

1. Log into your DNN Portal with Host privileges (Super User)
2. Navigate to Host->Extensions
3. Choose *Install Extenstion Wizard*
4. Choose the location of the module install package from your local directory structure
5. Click *Next* and follow the instructions

License Management

License Key

Activation/De-activation of the Canam Wiki module requires the use of a software license key, emailed to you along with the invoice at the time of your purchase (via wikisupport@canamsoftware.com). If you did not receive this key, please contact our support personnel at wikisupport@canamsoftware.com.

License Activation

The module cannot be used without an activated license. A trial version also needs to be activated first. This does not apply to modules running on *localhost* domain.

License de-activation

You may re-use a (permanent) license key by de-activating it and then using the key to activate another instance. Similarly, a Portal/Enterprise license can be re-used if all instances using the key are de-activated before using the key for another domain/application respectively. Trial licenses cannot be de-activated

License Update

If you want to apply a new license without losing your work, e.g. you want to move from the trial version to the permanent one; all you need to do is activate again with the new license key. Re-installation is not required.

Copyright © 2015 Canam Software Labs, Inc.

Steps to update license

1. Choose *License Manager* from the module management menu/links panel.
2. Provide your license key in the box indicated.
3. If you are connected to the internet, clicking on *Activate/De-activate license* will update your license right away.
4. If you are not connected to the internet, an additional step is required to activate your license offline. Follow directions for the same. Please note that **license de-activation is not currently available in offline mode**.
5. If you face any errors while updating your license, e-mail wikisupport@canamsoftware.com with the error message and your invoice number.

Installing Canam Wiki (Web Farm)

General Considerations

- DNN should be properly configured for web farm use and all web farm capabilities enabled. For more information, you are encouraged to review all documentation from DNN Corporation regarding web farm support.
- Canam Software Labs, Inc. cannot support customer issues regarding web farm installation/configuration/implementation. It is assumed that you are using Canam Wiki on a successfully configured web farm, if a web farm is being used.

Copyright © 2015 Canam Software Labs, Inc.

MODULE ADMINISTRATION

The Canam Wiki administration menu will appear when the menu item 'Admin' is clicked on the far right-side of the module display. Initially, only admin and host level accounts will be allowed to access this menu area. This can be configured to allow other accounts if needed. **(This configuration is allowed in the Pro version only)**



Each item selection in the vertical menu provides the ability to customize and configure the Wiki in some form.

Copyright © 2015 Canam Software Labs, Inc.

MODULE CONFIGURATION

The Configuration Screen

The Configuration screen allows you to set the configuration options of the wiki, which are described below.



Note: Do not forget to click the **Save Configuration** button at the bottom of the page after you are done!

Appearance Configuration

Setting	Description
Theme Name	The theme to use for this instance of the module. Starting with v3.0, 25 different themes are available for use with the module which are easily customizable. For more information, refer to the section on Theming

Content Configuration

Setting	Description
Main Page	The default wiki page visitors see
Default Screen	The default screen to show when module is first loaded
Date/time format	The date/time format used to display date/times in the wiki
Items in {RecentChanges}	The number of items to display in the output of {RecentChanges}
RSS Feeds serving mode	The mode RSS are served (*Summary*, *Full Text* or *Disabled*)
Number of backups	The number of revisions to keep for every page: exceeding old revisions are automatically discarded **(Pro only)**
Minimum search letters	Specify the minimum number of letters that must be entered by the user whenever they conduct a search. Turned off when set to '0' (zero).
Size of pages list	The number of pages to show in one view. A navigation bar is displayed if list exceeds this size. **(Pro only)**
Show authors as	Choose whether to display the DNN user name or the display name of page authors
Tag cloud range	Customize the look of tag cloud by choosing the font size range here
Show tag cloud on every page	Select this option to display a tag cloud at the bottom of every page

Copyright © 2015 Canam Software Labs, Inc.

Enable Double-Click editing	If enabled, double-clicking on a page activates the page editor (Pro only)
Enable editing of pages' sections	If enabled, each page section can be edited independently (Pro only)
Display anchors for pages' sections	When selected, each page section displays an anchor for easy linking
Enable Page Toolbar	If enabled, a toolbar is displayed at the top of wiki pages (*Discuss*, *Edit*, *History*, etc.) Individual items can be selected for display as well (Pro only)
Enable 'View Page Code' feature	If enabled, when a user has no permissions to edit a page, s/he can view the page code using the *View Page Code* button that replaces the *Edit* button (Pro only)
Enable Page Information section	If enabled, the page info section is displayed in wiki pages (*Created on*, *Categorized as*, etc.)
Display print icon for page view	If selected, a print icon will be shown for each page. Clicking it will present a printer friendly view of the page
Auto-Generate Page Names in Editor by default	If selected, the page editor generates new page names automatically from their title (only when creating new pages; manually overridable in the page editor) (Pro only)
Process single line breaks in content	If selected, the wiki formatter processes and renders single line breaks instead of ignoring them
Use visual (WYSIWYG) editor as default	If selected, sets the Visual editor as the default (*WikiMarkup* editor still available)
Disable concurrent page editing	Select this option to lock a page when it is being edited. Subsequent users attempting to edit the page will not be able to save their changes unless the first session ends or expires
Show email link to users	Select this option to show users as email links instead of plain text

Messages Configuration

Setting	Description
Approve Draft Message	The message moderators see when requested to approve a wiki page change
Approve New Page Message	The message moderators see when a new page is created that needs approval
Page Change Message	The message moderators see when a wiki page change was approved
Discussion Change Message	The message moderators see when requested to approve a discussion post

Security Configuration

Setting	Description
Enable CAPTCHA control for all public functionalities	If enabled, all functions that are accessible by anonymous users are protected with a CAPTCHA control that prevents bots from abusing the wiki
Page change moderation mode	Sets the change moderation mode (Disabled, Require page viewing permissions, Require page editing permissions — see below for details) (Pro only)
New Page moderation mode	Sets the New Page moderation mode (Disabled, Require page modify permissions, Require Page Create permissions) (Pro only)
Download counting mode (no label)	Specifies how to count file/attachment downloads (options are self-explanatory)
Max file size allowed for upload	The maximum size of uploaded files/attachments
Allow SCRIPT tags in WikiMarkup	When selected, it is possible to add SCRIPT tags to wiki content and pages (administrators can do that anyway)

Copyright © 2015 Canam Software Labs, Inc.

Change Moderation Mode

- **Disable moderation (default)**: no moderation is performed
- **Require Page Viewing permissions**: anyone who has viewing permissions for a page can edit it, but the changes are held in moderation; anyone who has editing permissions for a page can edit it without restrictions and can also approve a draft
- **Require Page Editing permissions**: anyone who has editing permissions for a page can edit it, but the changes are held in moderation; anyone who has management permissions for a page can edit it without restrictions and can also approve a draft.

Note: Drafts can only be explicitly approved/rejected by an administrator in the Wiki Pages screen. All other users that are able to save a page can approve a draft only by explicitly editing the page and saving the changes, thus making them visible to all users.

Every time a draft is held in moderation, all users who have approval permissions are notified via email. Normally, this group of users should be small.

New Page Moderation Mode

- **Disable moderation (default)**: No moderation is performed. All newly created pages are automatically approved.
- **Require Page Modify permissions**: anyone who has Page Modify permissions can create a page, but the page is held in moderation; anyone who has page management permissions can create pages without restrictions and also approve new pages. Anyone with Page Create permissions can create pages without restrictions, but cannot approve new pages.
- **Require Page Editing permissions**: anyone who has Page Create permissions can create a page, but the page is held in moderation; anyone who has page management permissions can create pages without restrictions and also approve new pages.

Note: New pages can only be explicitly approved/rejected by an administrator(with page management permissions) in the Wiki Pages screen.

Every time a page is held in moderation, all users who have approval permissions are notified via email. Normally, this group of users should be small.

Copyright © 2015 Canam Software Labs, Inc.

PAGE ADMINISTRATION

Wiki Pages

The wiki pages menu item displays a simple listing of all pages currently in the wiki



- Clicking on the hyperlink for the page on the left side of the grid opens up the page in a new tab/window.
- To filter the list, specify filter text in the box indicated (see image).
- The “New Page” button takes the admin to the new page creation interface.

Edit

To edit a page, click ‘Edit’ against that page in the right-most column of the grid.

Select

Clicking on ‘select’ for a page brings up the Page Operations interface for that page (see image below).



Copyright © 2015 Canam Software Labs, Inc.

Feature	Description
Rename Page	To rename the page, enter the new page name and click the **Rename** button. Please note that this will change the identification of the page in the database and will have no effect on the page title. Care should be taken while renaming pages that could be referenced in other pages. These references will break.
Keep Shadow Page	Check this option if you would like to rename a page, but still wish to preserve the page you are renaming (including the name itself). This will essentially create a copy of the page, and then rename it.
Rollback Page	This feature allows the admin to rollback the page to a previous version. To rollback, choose a version from the drop-down list, and press the **Rollback** button.
Delete Backups	To delete all or only some of the backups made of this page, select the appropriate radio button and click the **Delete** button.
Clear Page Discussion	Clicking the **Clear Discussion** button will delete all discussions currently associated with this page.
Delete Page	This is a final removal action of any wiki page. Any deletion is permanent, and all information for the page will be removed from the wiki.

Permissions (Pro only)

Clicking 'permissions' for a page row will bring up the Page Permissions interface, which provides the ability to regulate access to a specific page.

Permissions Template – The permissions template allows the admin to assign 1 of 3 templates to the page. By default, a page uses the same template as chosen at the module level. Permission templates can be applied to specific pages using this interface.


Permissions Templates...
Public
Anyone, including anonymous users, can edit this page.
As Site
Inherit permissions from the site.
Locked
Only Administrators can edit this page.
Warning: setting a template will replace all existing permissions for the default user groups (administrators, registered users and anonymous users).

- Public: This allows for anyone, regardless of DNN role and assigned permissions, to edit the page.
- As Site: This is the default setting. The template uses that of the wiki as a whole.
- Locked: This disallows all editing by all members except the Wiki administrators

Pages will show an empty list initially, because the wiki site settings are used by default. An administrator can grant/deny specific permissions to a particular user/role.

Step 1 - Search for a user/role

Copyright © 2015 Canam Software Labs, Inc.

Enter the user/role name in the search box and click 'search' to list all matching users/roles in the drop-down below.



Step 2 - Choose a user/role

Choose the user/role from the drop-down list, and press the 'add' button to add the user/role to the definition list.



Step 3 – Set Permissions

Now that a user/role has been selected, permissions can be set on the far right by selecting grant or deny for each permission item.



Grant – Checking any box provides that ability to perform the action specified on the left.

Deny – Checking any box explicitly outlaws any possibility to perform this action, regardless of the site default permissions.

Note on Setting Permissions

- The user/role that you wish to apply permissions to must be selected on the left before permissions are set on the right,
- Be sure that you are setting 'grant' or 'deny' for the proper object before saving permissions.

Step 4 – Save

Copyright © 2015 Canam Software Labs, Inc.

Once the user/role is properly selected, and all permissions have been chosen, 'Save Permissions' to set the special permissions for this page.

Page Permission Items

The following actions are valid for pages.

Action	Description	AGB	AGB from Globals
Full Control	Full control on the page	n/a	n/a
Read Page	Read the page	Modify Page, Manage Page	Manage Pages
Modify Page	Edit the page	Manage Page	Manage Pages
Manage Page	Delete, Rename the page	n/a	Manage Pages
Read Page Discussion	Read the page discussion	Post Msg. in Page Disc., Manage Page Disc.	Manage Page Disc.
Post Messages in Page Discussion	Post messages in the page discussion	Manage Page Disc.	Manage Page Disc.
Manage Page Discussion	Edit, Delete other users' messages in the page discussion	Manage Page	Manage Page Disc.
Manage Categories	Change page category binding (tags)	n/a	Manage Pages
Download Attachments	Download attachments	Upload Att., Delete Att.	Manage Files
Upload Attachments	Upload attachments	Delete Att.	Manage Files
Delete Attachments	Delete, Rename attachments	n/a	Manage Files

AGB=Also Granted By. A permission implied by granting one of the higher permissions.

Snippets/Templates (Pro only)

Snippets and templates are two ways to allow wiki editors to preset pieces of content that tend to be required many times over.

Snippets

Snippets are pieces of text that can be used anywhere in a wiki page content, to avoid repeating commonly-used content in many places. Moreover, when the content of a snippet is changed, the change is automatically propagated in all places where the snippet is used.

There are basically three types of snippets, described below.

Plain Snippets - A plain snippets is just a piece of text. Let's assume a snippet named Warning was created with the following content:

```
'''Warning''': performing this action can cause harm to your computer.
```

The snippet can be invoked anywhere in a wiki page using the following markup (case insensitive):

```
{s:Warning}
```

When the page is rendered and the content is displayed in the browser, the snippet is resolved and replaced with the following text:

Copyright © 2015 Canam Software Labs, Inc.

Warning: performing this action can cause harm to your computer.

Parameterized Snippets - A parameterized snippet specifies parameters whose value can be set when invoking it. Expanding the example above, assume the snippet is defined like this:

```
'''Warning''': performing this action can cause harm to your computer. For more details, see ?page_link? or alternatively contact ''?support_user?''.
```

The snippet can be invoked anywhere in a wiki page using the following markup (case insensitive):

```
{s:Warning
| page_link = [++Help.MainPage|the help section]
| support_user = John Smith
}
```

The resulting output will be like this:

Warning: performing this action can cause harm to your computer. For more details, see the help section or alternatively contact *John Smith*.

Note: If a parameter is omitted, its placeholder is removed from the output.

Parameterized Snippets, Compact Style - A compact parameterized snippet is similar to the one described above. For example, a snippet can be defined like this (note that placeholders are numbers this time):

```
'''Warning''': performing this action can cause harm to your computer. For more details contact ''?1?'' or ''?2?''.
```

The snippet can be invoked anywhere in a wiki page using the following markup (case insensitive):

```
{s:Warning|John Smith|Sally Doe}
```

The output will be like this:

Warning: performing this action can cause harm to your computer. For more details contact *John Smith* or *Sally Doe*.

In this case, parameters values cannot contain any complex markup such as links or images.

Note: A parameter can be omitted, leaving it blank:

```
{s:Warning||Sally Doe}
```

Nesting Snippets - A snippet can also be invoked inside another snippet, for example (parameterized snippets are also supported):

```
This is the content of a snippet, and it is possible to invoke a snippet from here: {s:OtherSnippet}
```

A snippet can even be used to set the value of a parameter of another snippet:

```
{s:Warning
```


Copyright © 2015 Canam Software Labs, Inc.

```
| page_link = [MainPage|the help section]
| support_user = {s:CurrentSupportUser}
}
```

Or even:

```
{s:MySnippet
| my parameter1 = {s:SomeOtherSnippet
| other_parameter = [link] }
| support_user = {s:CurrentSupportUser}
}
```



To save the snippet, click the **Save Item** or **Create Item** button at the bottom-right location of the editor area. The **Delete** and **Cancel** buttons allow for deletion of snippet or cancellation of the current action within the Snippet Detail screen, respectively. Note that any deletion cannot be recovered, and is permanent.

Once the snippet is saved, it is available for use when creating or editing a page. Clicking on the snippet symbol will reveal a list of available snippets for use.

Selecting a snippet will add a reference to that snippet to the page being edited.

Templates

Templates are pieces of text that can be used as starting points for pages. Let's assume a template is created with the following content:

```
'''Reporter''': user name
'''Date''': report date

'''Subject''': title

==Problem Description==

===Additional Information===
```


Copyright © 2015 Canam Software Labs, Inc.

When a page is edited or created, the template can be used to initially populate the page content, as shown in the image below.



Selecting a template in the drop-down list and clicking on the Use Template button replaces the current page content (if any) with the template text. The template content is now part of the wiki page and can be manipulated as required.

Site Permissions (Pro only)

Canam Wiki Professional (CWP) features an advanced permissions system that allows you to configure access rules for single pages and upload directories and for some global actions.

The permissions system in CWP is basically a custom-built ACL (Access Control Lists) engine. An ACL entry determines whether a subject can perform an action on a resource.

A subject can either be a DNN user account or a user role. A resource can be a page, or a generic global resource. Actions are resource-specific and define activities that can be performed on a resource and some actions include other actions (for example, if you allow a write permission on a resource to a user, s/he is also able to read the same resource).

Note: managing complex permissions schemes might be very difficult and, if done the wrong way, can lead to security issues in your wiki. For this reason, you should be careful not to change permissions in a way that you do not fully understand.

Canam Wiki Professional is automatically configured with a set of safe permissions that basically allow global read-only access to anonymous users, partial write access to registered users and total access to administrators.

Users, Roles and Deny Priority

Copyright © 2015 Canam Software Labs, Inc.

Permissions can be assigned to users or roles. By default, CWP uses three user roles, Anonymous Users, Users and Administrators, but other roles from the website can be selected and be assigned specific permissions.

General Rules

- An action can either be granted (allowed) or denied (not allowed)
- Not granting an action equals denying it (in other words, all grants must be explicit, unless the same action is allowed by a higher-level action or inherited from a higher-level resource)
- If a user is not member of any role used in the module, and has no specific grants, s/he has no access rights at all
- Deny entries always have a priority over grant entries on the same action and resource
- If a user is member of one role, s/he inherits all permissions of the role
- If a user is member of multiple roles, denials have priority over grants for the same action on the same resource
- If a user is member of one or more roles, grants or denials assigned to the user have priority over entries assigned to the role (for example, a role can be denied an action but a specific user of the role can be granted it)

Actions/Resources Reference

General rules as described above are applied to resources and actions that are specific to CWP.

Note: AGB means Also Granted By, i.e. the action is also granted by another action. All actions are, by default, also granted by Full Control, either on the same resource or on Globals: Full Control is therefore omitted from AGB lists for brevity.

Globals

The following actions are valid for global permissions. Global permissions are assigned to users or roles and are not mapped to any specific resource.

Action	Description	AGB
Full Control	Full control on the wiki	n/a
Manage Roles	Manage permissions by Role	n/a
Manage Pages	Create, Edit, Delete, Rename, Rollback pages	n/a
Manage Page Discussions	Post, Edit, Delete messages in page discussions (including other users' messages)	n/a
Manage Site Permissions	Manage permissions for site usage	n/a
Manage Configuration	Change configuration settings	n/a
Manage Snippets and Templates	Create, Edit, Delete snippets and templates	n/a
Manage Global Permissions	Change permissions of users and roles	n/a

User Roles (Pro only)

The User Roles screen can be used to set global permissions for an existing User Role.

Copyright © 2015 Canam Software Labs, Inc.



Click on “Select” against a role name to set global permissions for that role. The rules for global permissions can be found in this manual under Site Permissions > Globals.



Copyright © 2015 Canam Software Labs, Inc.

USING THE WIKI EDITOR

WikiMarkup Reference

Text Reference

WikiMarkup	Output	Notes
'''bold'''	bold	
''italic''	italic	
__underlined__	underlined	
--strike-through--	strike-through	
{{inline code - monospace font}}	inline code - monospace font	
@@block code - [WikiMarkup] is ignored@@	block code - [WikiMarkup] is ignored	
----		Horizontal ruler
[MainPage|MainPage] or [MainPage|my link]	MainPage or my link	
[http://www.canamwiki.eu] or[http://www.canamwiki.eu|Canamwiki Wiki]	http://www.canamwiki.eu or Canamwiki Wiki	
[email@server.com] or [email@server.com|contact us]	email@server.com or contact us	
[c:Help.Wiki] or [c:Help.Wiki|Pages of category 'Wiki']	Help.Wiki or Pages of category 'Wiki'	Links to a category
==Title==	Title	
===Sub-Title===	Sub-Title	
====Sub-Sub-Title====	Sub-Sub-Title	
=====Sub-Sub-Sub-Title=====	Sub-Sub-Sub-Title	
{t:PageToTransclude}		Displays the content ofPageToTransclude, in-place
~~	Apeksha, Tue, 10 Nov 2009 10:01	Adds a signature for the user who made the change

Lists

You can create unordered or ordered lists using * and # characters, for example:

WikiMarkup	Output	Notes
* List element * Another element, which continues on a new line * A third element	List element Another element, which continues on a new line A third element	Always allow an empty line after a list

Copyright © 2015 Canam Software Labs, Inc.

# List element # Another element, which continues on a new line # A third element	List element Another element, which continues on a new line A third element	Always allow an empty line after a list
* List element *# Sub-element, which continues on a new line *# Still a sub-list * A third element	List element Sub-element, which continues on a new line Still a sub-list A third element	You may combine * and #

Tables

WikiMarkup	Output
{| | Cell 1.1 | Cell 1.2 |- | Cell 2.1 | Cell 2.2 |}	Cell 1.1 Cell 1.2 Cell 2.1 Cell 2.2
{| | Cell 1.1 || Cell 1.2 |- | Cell 2.1 || Cell 2.2 |}	Cell 1.1 Cell 1.2 Cell 2.1 Cell 2.2
{| |+ This is a Table | Cell 1.1 || Cell 1.2 |- | Cell 2.1 || Cell 2.2 |}	This is a Table Cell 1.1 Cell 1.2 Cell 2.1 Cell 2.2
{| ! Cells x.1 !! Cells x.2 |- | Cell 1.1 || Cell 1.2 |- | Cell 2.1 || Cell 2.2 |}	**Cells x.1** **Cells x.2** Cell 1.1 Cell 1.2 Cell 2.1 Cell 2.2
{| ! X !! x.1 !! x.2 |- ! 1.x | Cell 1.1 || Cell 1.2 |- ! 2.x | Cell 2.1 || Cell 2.2	**X** **x.1** **x.2** **1.x** Cell 1.1 Cell 1.2 **2.x** Cell 2.1 Cell 2.2

Copyright © 2015 Canam Software Labs, Inc.

```
|}
```

```
{| border="1" bgcolor="Gray"
| Cell 1.1 || Cell 1.2
|-
| Cell 2.1 || Cell 2.2
|}
```

Cell 1.1	Cell 1.2
Cell 2.1	Cell 2.2

```
{| cellspacing="0" cellpadding="2" border="1"
|- style="background-color: Red; color: White;"
| Cell 1.1 || Cell 1.2
|- style="font-weight: bold;"
| Cell 2.1 || Cell 2.2
|}
```

Cell 1.1	Cell 1.2
Cell 2.1	**Cell 2.2**

```
{|
| bgcolor="Blue" | Styled Cell
| Normal cell
|-
| Normal cell
| bgcolor="Yellow" | Styled cell
|}
```

Styled Cell	Normal cell
Normal cell	Styled cell

```
{|
| colspan="2" bgcolor="Red" | Cell
|-
| Cell || Cell
|}
```

Cell	
Cell	Cell

```
{|
| rowspan="2" bgcolor="Red" | Cell
| Cell
|-
| Cell
|}
```

Cell	Cell
	Cell

```
{| align="right" border="1"
| Cell || Cell
|}
```

Cell	Cell

```
{| style="margin: 0px auto;" border="1"
| Cell || Cell
|}
```

Cell	Cell

```
{| cellspacing="0" cellpadding="2" style="background-
color: #EEEEEE;"
|+ Styled Table
|- style="background-color: #990000; color: #FFFFFF;"
| This is a cell || This is a cell || This is a cell
|-
| style="background-color: #000000; color: #CCCCCC;" |
```

Styled Table		
This is a cell	This is a cell	This is a cell
Styled cell	Styled cell	**Normal cell**
Normal	Normal	Download

Copyright © 2015 Canam Software Labs, Inc.

```
Styled cell
| style="border: solid 1px #FF0000;" | Styled cell
| '''Normal cell'''
|-
| Normal || Normal || [Download]
|}
```

File Links & Pictures

WikiMarkup	Output	Notes
`[{UP}/v3Site/Grass.png|download image]`	download image	
`[{UP(Help)}SamplePicture.jpg|download attachment]`	download attachment	`Help` is the name of this page and the *SamplePicture.jpg* file is an attachment of this page

Displaying Pictures

`[imageright|Sample Picture Caption|{UP(Help)}SamplePicture-Small.jpg|{UP(Help)}SamplePicture.jpg]` generates:

`imageleft` aligns the image on the left; `imageauto` sets no alignment; `image` produces no border nor caption.

The caption is optional, as well as the link (`{UP(Help)}SamplePicture.jpg` in the example). The link can be any type of link (page, URL, email, file/attachment, etc.).

Special Tags

All Special Tags are *case insensitive*.

WikiMarkup	Output	Notes
`{UP}`		Gets a relative URL to the page, used as part of a file link
`{Top}`	Top	Link to the top of the page
`{TOC}`		Table of Contents of the current page
`{RSSPage}`	RSS	URL of the RSS Page
`{PageCount}`	58	Number of pages in the wiki
`{Cloud}`	Administration Development Documentation Help Plugins and Providers Wiki	Page categories cloud

Copyright © 2015 Canam Software Labs, Inc.

{RecentChanges}		List of recent changes
{Clear}		Creates an html div with no floating elements allowed on either side
{SearchBox}	»	Inserts a search box
{PageName}	WikiMarkup	Name of the current page (not the title)
{MostVisited(n)}		List of n most visited pages, where n is a non-negative integer

Support for Footnotes (References)

To add Wikipedia style footnotes (references) to your articles, use the following syntax:

```
Some text that needs a reference<ref>Reference content</ref>

...

<references />
```

The content of `<ref></ref>` can be anything: plain text, a link, whatever. Your footnotes will be rendered replacing the `<references />` tag.

Page History & Rollback (Pro only)

Every time a page is edited in Canam Wiki, the previous version of the content is saved in history (unless the Minor Change option is selected). The number of revisions retained for each page can be configured in the Admin section.

Existing revisions can be viewed on the History page, which can be accessed by clicking on the History button of the page menu.

A comparison between any two page revisions can also be viewed on the History page. The compare screen clearly marks the text added and/or removed between the selected revisions.

Copyright © 2015 Canam Software Labs, Inc.

You may rollback to a previous version of the page from the Page Operations screen. You can get to this screen in two ways:

1) When viewing a page, an Admin button is available if you have sufficient privileges. Click on Administrate to get to Page Operations.



2) On the Admin>Wiki Pages screen, click on Select on a page row to get to Page Operations for that page.


Home
New Page
All Pages
Categories
Search
Admin
Wiki Pages
Snippets/Templates
Site Permissions
User Roles
Configuration
Wiki Pages
Go
New Page
Name Current Title Created On By Modified On By Disc. Rev.
MainPage Main Page 2014/08/08 11:28 host 2014/10/02 16:24 host 1 10 Edit • Select • Permissions
Second Second 2014/09/08 14:52 host 2014/09/08 12:20 host 0 0 Edit • Select • Permissions
Second1 Copy of Second 2014/08/20 16:31 host 2014/10/01 18:43 host 1 30 Edit • Select • Permissions

Note that a rollback actually creates a new page revision, so that no content is ever deleted.

Copyright © 2015 Canam Software Labs, Inc.



Page Categories (Tags)

While editing a page, one or more tags can be assigned to/removed from it using the "Page Categories" dropdown (see below). The "Manage Categories" permission lets you control access to this feature. Canam Wiki only uses tags created in the parent website. To edit/delete tags, refer to the Taxonomy section of the website.



Comments

A page author/editor can add comments to the page for each change made. The comments box is located at the bottom of the editor.

Copyright © 2015 Canam Software Labs, Inc.



Meta Keywords/Description

A page author/editor can add keywords/description to the page. This field is for page-admins and internal use only. It is submitted to the DNN SEO Sitemap engine along with other page information. The Meta Keywords/Description box is located at the bottom of the editor.

Page Attachments *(Pro only)*

Attachments can be added/removed/renamed using the Page Attachments Manager at the bottom of the editor. The “Download attachments”, “Upload attachments” and “Delete attachments” permission settings affect this section.
Attachments added using this section are added to “CanamWiki_Attachments” folder under the Portal Root. Please make sure that users that have access to this section also have sufficient rights over this folder in the DNN file system.


Page Attachments Management
Name
Size
butterflies.PNG
914.41 KB
Rename • Delete
Refresh
Overwrite existing attachment
Choose File
No file chosen
Upload
You can upload attachments for the current Page up to 10.00 MB. Allowed file types are: SWF, JPG, JPEG, JPE, GIF, BMP, PNG, DOC, DOCX, XLS, XLSX, PPT, PPTX, PDF, TXT, XML, XSL, XSD, CSS, ZIP, TEMPLATE, HTMTEMPLATE, ICO, AVI, MPG, MPEG, MP3, WMV, MOV, WAV, HTML.

Attachments can also be viewed/downloaded in the “view mode” from the page toolbar (top-right) of a wiki page:

Copyright © 2015 Canam Software Labs, Inc.

SEARCH PAGES

Pages of the wiki can be searched using the Search interface. Select the “Full-text search” option to search through the full content of pages instead of just page titles.
Search can be customized using wildcards and by choosing relevant categories.
Canam Wiki Search is fully integrated with DNN search, which means that a search of the parent website will include results from the module as well.

DNN SITEMAP FOR SEO (Pro only)

A sitemap can be created for the contents of your Wiki and can be made available for SEO of your DNN® portal. To enable this feature, simply add the following lines towards the bottom of the web.config file of your application, where the coreSitemapProvider is located:

```
<add name="CanamWikiSitemapProvider" type="Canam.Modules.CanamWikiPro.Sitemap, Canam.Modules.CanamWikiPro"
providerPath="~\DesktopModules\CanamWikiPro\Providers\"></add>
```


Copyright © 2015 Canam Software Labs, Inc.